

Total No. of Questions : 8]

SEAT No. :

P2509

[Total No. of Pages : 3

[5253]-537

**T.E. (Computer Engineering)**  
**THEORY OF COMPUTATION**  
**(2015 Pattern)**

*Time : 2½ Hours]*

*[Max. Marks : 70*

**Instructions to the candidates:**

- 1) Attempt questions Q1 or Q2, Q3 or Q4, Q5 or Q6, Q7 or Q8.
- 2) Neat diagrams must be drawn wherever necessary.
- 3) Assume Suitable data, if necessary.

**Q1) a) Construct DFA for language defined by  $\Sigma = \{0,1\}$  where [6]**

$S = \{\text{strings ending with 0 always}\}$

$S = \{\text{strings representing odd binary numbers}\}$

$S = \{\text{strings over } \Sigma^* \text{ with total number of 0's even}\}$

**b) Let  $M = \{\{q_0, q_1\}, \{0,1\}, \delta, q_0, \{q_1\}\}$  be an NFA [6]**

Where

$$\delta(q_0, 0) = \{q_0, q_1\}$$

$$\delta(q_0, 1) = \{q_1\}$$

$$\delta(q_1, 0) = \emptyset$$

$$\delta(q_1, 1) = \{q_0, q_1\}$$

Construct an equivalent DFA.

**c) Write short notes on : [8]**

- i) Chomsky Normal Form
- ii) Greibach Normal Form

OR

**Q2) a) Design a FA which checks the divisibility by 4 for a decimal number. [6]**

**b) Construct a Moore and Mealy machine to generate 1's compliment of a given binary number. [6]**

**P.T.O.**

c) Write CFGs for given CFLs : [8]

- i) Languages containing the strings with equal number of a's and b's
- ii) Languages containing the strings containing a's and b's with at least 2 a's

**Q3)** a) Define Turing Machine. Comment on language acceptance by Turing Machine. [4]

b) Write short notes on : [6]

- i) Universal Turing Machine
- ii) Multi-tape Turing Machine
- iii) Limitation of Turing Machine

c) Construct a Turing Machine to accept the language of even number of 1's and even number 0's over  $\Sigma = \{0,1\}$ . [8]

OR

**Q4)** a) Explain the representation of TM. [4]

b) Design a Turing Machine to add two unary numbers. [6]

c) Construct TM for -  
 $L = \{ \text{ all strings with equal no. of a's and b's} \}$ . [8]

**Q5)** a) Differentiate between FA and PDA. [4]

b) Construct NPDA that accepts the language generated by  $S = S + S | S^*S | 4$ . [6]

c) Illustrate the working of Shift Reduce parser for  $\text{id}+\text{id}^*\text{id}$ .

Consider the following grammar: [6]

$$E \rightarrow E + E \mid T$$

$$T \rightarrow T * F \mid F$$

$$F \rightarrow \{E\} \mid id$$

OR

**Q6)** a) What are the two different ways to define PDA acceptability? [4]

b) Construct PDA that accepts language generated by following

$$CFG : \quad S \rightarrow SS \mid (S) \mid ( )$$

c) Explain closure property of CFL with suitable example. [6]

**Q7)** a) What do you mean by NP- problems? Justify that Travelling Salesman problem is NP problem. [8]

b) Define Undecidability. Let  $\text{HALT}_{\text{TM}} = \{ \langle M, w \rangle \text{ where } M \text{ is a TM and } M \text{ halts on input } w \}$  Prove that  $\text{HALT}_{\text{TM}}$  is undecidable. [8]

OR

**Q8)** a) Define and explain Recursive and Recursively enumerable languages. [8]

b) What is a Kruskals's Algorithm? How can we solve this problem using Turing Machine? [8]

